

◆ BENNETT+BENNETT

PO Box 5021, GCMC QLD 9726 Ph: (07) 5631 8000

Surveying, Town Planning & Spatial Services GOLD COAST | BRISBANE | SUNSHINE COAST | IPSWICH

www.bennettandbennett.com.au

LEGEND

Lots Under 450m²



Lots Over 450m²



Indicative Driveway Location



Indicative Footpath Location



Preferred Garage Location



Optional Built to Boundary wall



NOTES:

- Drawn to scale on an A3 sheet.
- 2. All dimensions and areas are subject to final survey and approval by B.C.C.
 3. Building location envelopes are indicative only.

Α	Original Issue	BRJ	24/10/2019
Issue	Revision	Int	Date

Building Envelope Guide Ashford Residences - Stage 1

Client:	THE MIRVA	C GROUP	
Locality:	EVERTON P.	ARK	
Local Gov:	BCC	Prepared By:	BRJ
Surveyed By:		Approved:	BM
Date Created:	24/10/2019	Scale:	1:600
Comp File:	191518.proje	ct	
Plan No:	191518_01	3_PRO	

A3

→ BENNETT+BENNETT PO Box 5021, GCMC QLD 9726

Ph: (07) 5631 8000 mail@bennettandbennett.com.au

Surveying, Town Planning & Spatial Services GOLD COAST | BRISBANE | SUNSHINE COAST | IPSWICH

www.bennettandbennett.com.au

<u>LEGEND</u>
Lots Under 450m²
Lots Over 450m²
Indicative Driveway Location
Indicative Footpath Location
Preferred Garage Location
 Optional Built to Boundary wall
 Building Envelope

NOTES:

- Drawn to scale on an A3 sheet.
- 2. All dimensions and areas are subject to final survey and approval by B.C.C.
 3. Building location envelopes are indicative only.

Α	Original Issue	BRJ	24/10/2019
Issue	Revision	Int	Date

Building Envelope Guide

Ashford Residences - Stage 1

THE MIRVA	C GROUP	
EVERTON PA	ARK	
BCC	Prepared By:	BRJ
	Approved:	BM
24/10/2019	Scale:	1:600
191518.projed	ct	
191518_01	3_PRO	
	EVERTON PA BCC 24/10/2019 191518.project	Approved:

BUILDING SETBACK TABLE BUILDING SUMMARY OF SETBACK TABLE AMENDMENTS FOR PLAN 013

Indicative Lot Type	Lots under 450m2	Lots 450m2 and over	
Minimum Front Boundary Setback			
Primary Street Frontage (The street frontage that is most commonly addressed by other buildings in the block) For the purposes of this plan the primary street frontage has been assumed based on the location of the driveway	■ 6m to the external wall;		C MP1.2 - Design and Siting Standard for Single 2 and Over Acceptable Solution A1 (b)
Secondary Street Frontage (Where a lot has more than one road frontage, the secondary is the frontage that which is not the primary street frontage)	■ N/A	 6m; or For a corner lots please refer to QD0 Detached Housing - On Lots 450m2 	C MP1.2 - Design and Siting Standard for Single 2 and Over Acceptable Solution A1 (b)
Minimum Side Boundary Setbacks			
•	■ 1m for habitable spaces	Wall up to 4.5m high Wall greater than 4.5m to 7.5m high	1.5m 2m
		Wall greater than 7.5m high	2m plus 0.5m for every 3m or part exceeding 7.5m
Built to Boundary Walls			
Minimum Rear Boundary Setback	■ 0.5m and a maximum height of 3.5m for non-habitable spaces only for a maximum length of 15m.	N/A	
willimum rear Boundary Setback			
	■ 6m	Wall up to 4.5m high	■ 1.5m
		Wall greater than 4.5m to 7.5m high Wall greater than 7.5m high	■ 2m ■ 2m plus 0.5m for every 3m or part exceeding 7.5m
Maximum Site Cover			or part exceeding 7.5m
WIGAIITIGHT OILG GOVGI	■ 50%	■ 50%	

Note: Setbacks shown in this table should be used as a guide only. Reference should be made to the Brisbane City Planning Scheme including the 'Dwelling House Code', 'Dwelling House (Small Lot) Code'; and the Queensland Development Code (QDC) 'MP1.1 - Design and Siting Standard for Single Detached Housing - on Lots Under 450m2 and 'MP1.2 -Design and Siting Standard for Single Detached Housing - On Lots 450m² and Over'.





PO Box 5021, GCMC QLD 9726 Ph: (07) 5631 8000 mail@bennettandbennett.com.au

Surveying, Town Planning & Spatial Services
GOLD COAST | BRISBANE | SUNSHINE COAST | IPSWICH www.bennettandbennett.com.au

LEGEND

Lots Under 450m²

Lots Over 450m²

Indicative Driveway Location

Indicative Footpath Location

Preferred Garage Location

Optional Built to Boundary wall

Building Envelope

NOTES:

- Drawn to scale on an A3 sheet.
- 2. All dimensions and areas are subject to final survey and approval by B.C.C.
 3. Building location envelopes are indicative only.

Α	Original Issue	BRJ	24/10/2019
1	D	1.1	D - 1 -

Building Envelope Guide

Ashford Residences - Stage 2

Client:	THE MIRVAC GROUP		
Locality:	EVERTON P.	ARK	
Local Gov:	BCC	Prepared By:	BRJ
Surveyed By:		Approved:	BM
Date Created:	24/10/2019	Scale:	1:600
Comp File:	191518.proje	ct	
Plan No:	191518_01	4_PRO	

→ BENNETT+BENNETT

PO Box 5021, GCMC QLD 9726 Ph: (07) 5631 8000 mail@bennettandbennett.com.au

Surveying, Town Planning & Spatial Services GOLD COAST | BRISBANE | SUNSHINE COAST | IPSWICH www.bennettandbennett.com.au

LEGEND

Lots Under 450m²

Lots Over 450m²

Indicative Driveway Location

Indicative Footpath Location

Preferred Garage Location

Optional Built to Boundary wall

Building Envelope

NOTES:

- Drawn to scale on an A3 sheet.
- 2. All dimensions and areas are subject to final
- survey and approval by B.C.C.

 3. Building location envelopes are indicative only.

ı				
	Α	Original Issue	BRJ	24/10/2019
	Issue	Revision	Int	Date

Building Envelope Guide

Ashford Residences - Stage 2

Client:	THE MIRVAC GROUP		
Locality:	EVERTON PA	ARK	
Local Gov:	BCC	Prepared By:	BRJ
Surveyed By:		Approved:	BM
Date Created:	24/10/2019	Scale:	1:600
Comp File:	191518.proje	ct	
Dian No:	101518 01	4 DPO	

BUILDING SETBACK TABLE

BUILDING SUMMARY OF SETBACK TABLE AMENDMENTS FOR PLAN 014

Indicative Lot Type	Lots under 450m2	Lots 450m2 and over		
Minimum Front Boundary Setback				
Primary Street Frontage (The street frontage that is most commonly addressed by other buildings in the block) For the purposes of this plan the primary street frontage has been assumed based on the location of the driveway	3m to the external wall;5.5m for garages	■ 6m; For a corner lots please refer to QDC MP1.2 - Design and Siting Standard for Single Detached Housing - On Lots 450m2 and Over Acceptable Solution A1 (b)		
Secondary Street Frontage (Where a lot has more than one road frontage, the secondary is the frontage that which is not the primary street frontage)	■ N/A	■ 6m; or For a corner lots please refer to QDC MP1.2 - Design and Siting Standard for Single Detached Housing - On Lots 450m2 and Over Acceptable Solution A1 (b)		
Minimum Side Boundary Setbacks				
	■ 1m for habitable spaces	Wall greater than 4.5m to 7.5m high	1.5m 2m	
Built to Boundary Walls		Wall greater than 7.5m high	2m plus 0.5m for every 3m or part exceeding 7.5m	
	 Om; and limited to one side boundary; and for non-habitable spaces only; and a maximum height of 3.5m; and a maximum length of 9m. 	N/A		
Minimum Rear Boundary Setback	= Cap. 55	Wall up to 4.5m bigh		
	■ 6m; or	Wall up to 4.5m high	■ 1.5m ■ 2m	
	■ 3m for Lots 12 & 13 only.	Wall greater than 4.5m to 7.5m high Wall greater than 7.5m high	2m2m plus 0.5m for every 3mor part exceeding 7.5m	
Maximum Site Cover	■ 60%		■ 50%	

Note: Setbacks shown in this table should be used as a guide only. Reference should be made to the Brisbane City Planning Scheme including the 'Dwelling House Code', 'Dwelling House (Small Lot) Code'; and the Queensland Development Code (QDC) 'MP1.1 - Design and Siting Standard for Single Detached Housing - on Lots Under 450m21 and 'MP1.2 -Design and Siting Standard for Single Detached Housing - On Lots 450m² and Over', and to the Council development approval which has varied some setbacks for lots under 450m²